





NFPA Classification	DOT / TDG Pictograms	WHMIS Classification	PROTECTIVE CLOTHING
Health 			

Section I. Chemical Product and Company Identification

PRODUCT NAME/ TRADE NAME		Ammonium Nitrate Concentrated Liquor (83-85 %)	
SYNONYM	A. N. Liquor, Ammonium Nitrate, Concentrated Solution (83-85%)	MSDS NUMBER:	14227
CHEMICAL NAME	Ammonium nitrate.	REVISION NUMBER	4.7
CHEMICAL FAMILY	Nitrate salt. (Oxidizing agent)	MSDS prepared by	February 5, 2006 the Environment, Health and Safety Department on:
CHEMICAL FORMULA	NH ₄ NO ₃	24 HR EMERGENCY TELEPHONE NUMBER: Transportation: 1-800-792-8311 Medical: 1-888-670-8123	
MATERIAL USES	Agricultural industry: Fertilizer. Industrial applications: Manufacture of chemicals. Manufacture of specialty fertilizers.		
MANUFACTURER	Agrium North American Wholesale 13131 Lake Fraser Drive, S.E. Calgary, Alberta, Canada, T2J 7E8 Agrium U.S. Inc. Suite 1700, 4582 South Ulster St. Denver, Colorado, U.S.A., 80237	SUPPLIER	Agrium North American Wholesale 13131 Lake Fraser Drive, S.E. Calgary, Alberta, Canada, T2J 7E8 Agrium U.S. Inc. Suite 1700, 4582 South Ulster St. Denver, Colorado, U.S.A., 80237

Section II. Hazardous Ingredients

NAME	CAS #	Exposure Limits (ACGIH)						% by Weight
		TLV-TWA mg/m ³	TLV-TWA ppm	STEL mg/m ³	STEL ppm	CEIL mg/m ³	CEIL ppm	
Ammonium nitrate	6484-52-2	----						83-85

ACGIH TLV notations:

- No assigned TLV
- (C) - Ceiling - the concentration not to be exceeded at any time
- (I) - measured as the Inhalable fraction of the aerosol
- (R) - measured as the Respirable fraction of the aerosol
- (T) - measured as the Thoracic fraction of the aerosol

TOXICOLOGICAL DATA ON INGREDIENTS

Ammonium Nitrate:△

Rat oral LD50: 4500 mg/kg. [Peer Reviewed] [Environment Canada;Tech Info for Problem Spills: Ammonium Nitrate (Draft) p.59 (1981)]
 Rat oral LD50: 2217 mg/kg (Rat) [Gigiena i Sanitariya. For English translation, see HYSAAV. (V/O Mezhdunarodnaya Kniga, 113095 Moscow, USSR) V.1- 1936- (52(8),25,1987)]
 Huntingdon Research Center Testing Results (3 studies), OECD Guide 401: 2462- 2900 mg/kg (rat oral)
 TFI Product Testing Results, OECD Guideline 402: > 5,000 mg/kg acute dermal LD₅₀, rat,
 Bacterial reverse mutation assay: negative, with and without metabolic activation, (Salmonella)
 Developmental teratogenicity: Not teratogenic to rats. NOAEL >57 mg/kg

Ecotoxicity Values:

Continued on Next Page

Acute fish toxicity: Chinook salmon, rainbow trout, bluegill: 96hr LC₅₀ = 420-1360 mg NO₃/L
 Acute toxicity to aquatic invertebrates: Daphnia magna EC₅₀ = 555mg/L
 Acute toxicity to aquatic plants (algae): Scenedesmus quadricauda EC₅₀ = 83mg/L
 LD50 Aspergillus niger (fungus) 15 mg/l/40 hr (36 deg C). [Peer Reviewed] [Environment Canada; Tech Info]

Section III. Hazards Identification.

POTENTIAL ACUTE HEALTH EFFECTS

Dangerous in case of ingestion. May interfere with the circulation and oxygen carrying capacity of the blood. Over-exposure by inhalation may cause respiratory irritation. Hot! This product may cause thermal burns to the eyes or skin if splashed at normal shipping and handling temperatures. When cold, this product may irritate eyes and skin upon contact but is unlikely to injure tissue.

Symptoms of overexposure may include:

Cardiovascular: methemoglobinemia, low blood pressure (hypotension), irregular heart beat (arrhythmia), shock (vasodilation)

CNS: headache, dizziness, generalized tingling sensation (parasthesia)

Gastrointestinal: nausea, vomiting, diarrhea, abdominal pain

Eye: redness and inflammation (conjunctivitis)

Skin: bluish discoloration (cyanosis) with profuse sweating or flushed skin

POTENTIAL CHRONIC HEALTH EFFECTS

CARCINOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

MUTAGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

TERATOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

Repeated or prolonged overexposure by ingestion can reduce the oxygen carrying capacity of the blood producing anoxia in infants or individuals with preexisting bowel or blood diseases.

Section IV. First Aid Measures

EYE CONTACT

Hot! May cause eye burns. IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. OBTAIN IMMEDIATE MEDICAL ATTENTION.

MINOR SKIN CONTACT

Hot! May cause skin burns. Flush with water to cool affected area. Cover with a gauze pad or clean cotton or linen cloth. DO NOT attempt to remove adhered material from the skin. Get immediate medical attention.

EXTENSIVE SKIN CONTACT

No additional information.

MINOR INHALATION

Repeated or prolonged inhalation of vapors or spray mist may produce severe irritation of the respiratory tract, headache, nausea or weakness. Loosen tight clothing. Allow the affected individual to rest in a well ventilated area. Obtain medical attention.

SEVERE INHALATION

In emergency situations use proper respiratory protection to evacuate affected individuals to a safe area as soon as possible. Loosen tight clothing around the person's neck and waist. Oxygen may be administered if breathing is difficult. If the person is not breathing, perform artificial respiration. Obtain immediate medical attention.

SLIGHT INGESTION

Have conscious person drink several glasses of water or milk. Induce vomiting. Lower the head so that the vomit will not reenter the mouth and throat. NEVER give an unconscious person anything to drink. Obtain medical attention.

EXTENSIVE INGESTION

No additional information.

Section V. Fire and Explosion Data

THE PRODUCT IS	Non-flammable.
AUTO-IGNITION TEMPERATURE	Not applicable.
FLASH POINT	Not applicable.
FLAMMABILITY LIMITS	Not applicable.
PRODUCTS OF COMBUSTION	Material will not burn, but thermal decomposition may result in flammable/toxic gases being formed. These products are nitrogen oxides and ammonia (NO, N ₂ , NH ₃).
FIRE HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Dangerous in contact with organic materials. May form explosive mixtures. When contaminated, it is very sensitive. Explosive when exposed to heat or flame under confinement. Avoid temperatures above 210°C (410°F) in confined or poorly ventilated spaces. Thermal decomposition or explosion may result. Evacuate surrounding areas.
EXPLOSION HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Incompatible with sulfur, chlorides, reducing agents, or other oxidizers. Incompatible with finely powdered metals (cadmium, titanium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium, zinc, sodium, potassium and aluminum). May explode by detonation, heat or shock.
FIRE FIGHTING MEDIA AND INSTRUCTIONS	Powerful oxidizing agent, supports combustion by liberating oxygen even if smothered. Cool containing vessels with flooding quantities of water until well after fire is out. A self contained breathing apparatus should be used to avoid inhalation of toxic fumes. Evacuate area and fight fire from a safe distance.
SPECIAL REMARKS ON FIRE HAZARDS	Dangerous in contact with organic materials. Material supports combustion. Evolves toxic fumes when heated to the decomposition state. Avoid temperatures above 210°C (410°F) in confined or poorly ventilated spaces. Thermal decomposition or explosion may result.
SPECIAL REMARKS ON EXPLOSION HAZARDS	Unconfirmed industry reports indicate a possibility that ammonium nitrate containing solutions may detonate if subjected to extreme heat while under pressure or if allowed to evaporate to near dryness.

Section VI. Accidental Release Measures

SMALL SPILL	Stop leak if possible to do so without risk. Dike and contain spilled material. Ensure that the spilled material does not enter sewers, wells, or watercourses. Product will promote algae growth which may degrade water quality and taste. Notify downstream water users. Nitrate in potable drinking water should be maintained below 10 mg/L. Allow to solidify. Use appropriate tools to put the spilled material in a convenient container for disposal. Ensure disposal complies with local regulations.
LARGE SPILL	No additional information.

Section VII. Handling and Storage

PRECAUTIONS	Keep away from sources of ignition and incompatible materials such as reducing agents, or combustible materials. Take precautions against electrostatic discharges. Avoid contact with skin and eyes. Do not breathe fumes or vapors. Keep out of reach of children.
STORAGE	Keep at temperatures of between 71°C (160°F) and 135°C (275°F). Keep away from incompatible materials.

Section VIII. Exposure Controls/Personal Protection

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
PERSONAL PROTECTION	The selection of personal protective equipment varies, depending upon conditions of use. Wear appropriate respirator when ventilation is inadequate. Where skin and eye contact may occur as a result of brief periodic exposures, wear long sleeved clothing, coveralls, leather gloves, safety glasses with side shields and face shield.
PERSONAL PROTECTION IN CASE OF LARGE RELEASE	NIOSH approved respirators with dust, mist or fume prefilters may be necessary to prevent overexposure by inhalation. Where skin and eye contact may occur as a result of prolonged or repeated exposures, wear long sleeved clothing, coveralls, chemical resistant gloves, and safety glasses with side shields. For U.S. work sites where respiratory protection is required, ensure that a respiratory protection meeting 29 CFR 1910.134 is in place.
EXPOSURE LIMITS	OSHA PEL: 15 mg/m ³ as total dust and 5 mg/m ³ for the respirable fraction for Particulates Not Otherwise Regulated (nuisance particulates). 29 CFR 1910.1000 Table Z-1. Federal, State or Provincial exposure limits may vary by jurisdiction. Consult local authorities for acceptable exposure limits in your area.

Section IX. Physical and Chemical Properties

PHYSICAL STATE AND APPEARANCE	Liquid. (Clear to slightly hazy liquid or paste-like solid when cooled.)		
MOLECULAR WEIGHT	Not applicable.	COLOR	Colorless liquid at shipping temperature, white paste-like solid when cooled.
pH (10% SOLN/WATER)	5.5 - 6.5 (50 vol% aqueous soln)	ODOR	Odorless.
BOILING POINT	85%: Decomposes above 275 deg F (135 deg C).	ODOR THRESHOLD	Not available.
MELTING POINT	85%: 77°C (170°F)	TASTE	Disagreeable. Acrid. Burning.
CRITICAL TEMPERATURE	Not applicable.	VOLATILITY	10 - 20% (w/w).
SPECIFIC GRAVITY g/cc	1.34 (Water = 1)	SOLUBILITY	Easily soluble in cold water, hot water.
BULK DENSITY kg/m³ ; lbs/ft³	85% product: 1370 kg/m ³ ; 11.5 lbs/gal (US).	DISPERSION PROPERTIES	See solubility in water.
VAPOR PRESSURE	17.2 mm of Hg (@ 20°C) based on data for: Water	WATER/OIL DIST. COEFF.	Easily soluble or dispersed in water.
VAPOR DENSITY	Not applicable.		

Section X. Stability and Reactivity Data

STABILITY	The product is stable.
INSTABILITY TEMPERATURE	Not available.
CONDITIONS OF INSTABILITY	No additional remark.
INCOMPATIBILITY WITH VARIOUS SUBSTANCES	Reactive with reducing agents, combustible materials, metals, acids, alkalis.
CORROSIVITY	Corrosive to zinc, copper, and aluminum. Non-corrosive to glass, steel, and stainless steel (304 or 316).
SPECIAL REMARKS ON REACTIVITY	Incompatible with sulfur, chlorides, or other oxidizers. Incompatible with finely powdered metals (cadmium, titanium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium, zinc, sodium, potassium and aluminum). May explode by detonation, heat or shock.

Continued on Next Page

SPECIAL REMARKS ON CORROSIVITY	Incompatible with copper alloys. Corrosive to ferrous metals and alloys. Corrosive to brass. Contact your sales representative or a metallurgical specialist to ensure compatability with system equipment.
---------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section XI. Toxicological Information

SIGNIFICANT ROUTES OF EXPOSURE	Ingestion. Inhalation.
TOXICITY TO ANIMALS	See Section II.
SPECIAL REMARKS ON TOXICITY TO ANIMALS	May be harmful to livestock and wildlife if ingested. Clean up all spilled material, especially where bulk material transfer occurs.
OTHER EFFECTS ON HUMANS	Recent studies undertaken by the U.S. Government using Canadian and American databases have determined that ammonium nitrate does not demonstrate any risk of gastrointestinal cancer.
SPECIAL REMARKS ON CHRONIC EFFECTS ON HUMANS	Exposure can cause headache, stomach pains, vomiting and diarrhea. Under prolonged or repeated overexposure, may produce methemoglobin which reduces oxygen supply in the circulating blood. Although predominantly affecting infants, nitrate induced methemoglobinemia has also been documented in adults.
SPECIAL REMARKS ON OTHER EFFECTS ON HUMANS	No additional remark.

Section XII. Ecological Information

ECOTOXICITY	May be harmful to fish, livestock, and wildlife. May cause burns to mouth, throat and stomach. Aquatic/Marine Toxicity: Will release ammonium ions. Ammonia is a toxic hazard to fish. Avoid spills or release to watercourses. Will disperse with current. Release to watercourses may cause effects down stream from the point of release. U.S. D.O.T.: This material is NOT listed as a Marine pollutant.
BOD and COD	Not available.
PRODUCTS OF DEGRADATION	Ammonia and nitrogen oxides (NH ₃ , NO, NO ₂ ...)
TOXICITY OF THE PRODUCTS OF DEGRADATION	The product itself and its products of degradation are not harmful under normal conditions of use. Avoid spills or releases to watercourses.
SPECIAL REMARKS ON THE PRODUCTS OF DEGRADATION	Product will promote algae growth which may degrade water quality and taste. Notify downstream water users. Nitrate in potable drinking water should be maintained below 10mg/L. Will dissolve and disperse in water. Reclaiming material may not be viable.

Section XIII. Disposal Considerations

WASTE DISPOSAL OR RECYCLING	Recycle to process, if possible. Recover and place material in a suitable container for intended use or disposal. Ensure disposal complies with government requirements and local regulations.
------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section XIV. Transport Information

DOT / TDG CLASSIFICATION	CLASS 5.1: Oxidizing substance.
PIN and Shipping Name	Proper Shipping Name: Ammonium nitrate, liquid PIN #: UN2426
SPECIAL PROVISIONS FOR TRANSPORT	B5, T7

Continued on Next Page

DOT (U.S.A) (Pictograms)



Section XV. Other Regulatory Information and Pictograms

OTHER REGULATIONS

U.S. Allowable Tolerances (FIFRA Requirements):

1. Ammonium nitrate is exempted from the requirement of a tolerance when used as a desiccant or defoliant in the production of cottonseed, grain sorghum, peppers, potatoes, sweet potatoes. 40 CFR 180.1018 (7/1/91)
2. Ammonium nitrate is exempted from the requirement of a tolerance when used as an adjuvant/intensifier for herbicides in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only. 40 CFR 180.1001(d) (7/1/91)

FDA Requirements:

1. Bottled water shall, when a composite of analytical units of equal volume from a sample is examined by the methods described in paragraph (d)(1)(ii) of this section, meet the standards of chemical quality and shall not contain nitrate, as nitrogen, in excess of 10.0 mg/l. /Nitrate, as nitrogen. 21 CFR 103.35 (4/1/91)

TSCA - Sect. 8(b) Inventory: XU

California - Air Bill 2588 (Air Toxics Hot Spots) Appendix A-I: 6/91; ADOA 100.0 lbs/yr
California - Toxic Air Contaminant List Category III (AB 1807, AB 2728)

Massachusetts RTK List - Present

NJ Department of Health RTK List: sn 0106

NJ Special Hazardous Substances: (reactive - third degree)

Pennsylvania RTK List: environmental hazard

Rhode Island Hazardous Substance List - Present

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA): This product or its ingredients is on the Domestic Substances List (DSL), and acceptable for use under the provisions of CEPA.

CERCLA/SUPERFUND, 40 CFR 117,302: This product contains no Reportable Quantity (RQ) Substances.

This material contains the following chemicals subject to the reporting requirements of SARA Section 313 and 40 CFR 372:

Water dissociable nitrate compounds, CAS #: none, 63-65 wt%

Ammonia (includes anhydrous ammonia and aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of which is reportable under this listing), 7446-41-7, 18 wt%. Refer to EPA guidance document 745-R-00-006 for information on TRI reporting for nitrates.

TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986 (CA Health and Safety Code Sec 25249.5):

This product contains no chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

This product is not considered as a priority pollutants as regulated under the Clean Water Act.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

Canada - WHMIS Classification of Substances: C; D2B

OTHER CLASSIFICATIONS

HCS (U.S.A.) HCS CLASS: Oxidizer.

DSCL (EEC) 2- Risk of explosion by shock, friction, fire or other sources of ignition.
8- Contact with combustible material may cause fire.
9- Explosive when mixed with combustible material.

National Fire Protection Association (U.S.A.)

Hazards presented under acute emergency conditions only:

Health



Fire Hazard


Reactivity

Specific Hazard

TDG (Pictograms - Canada)



DSCL (Europe) (Pictograms)



ADR (Europe) (Pictograms)



Section XVI. Other Information

REFERENCES

- Transportation of Dangerous Goods Act and Clear Language Regulations, current revision.
- Canada Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Domestic Substances List, Canadian Environmental Protection Act.
- 29 CFR Part 1910
- 33 CFR Parts 151, 153, 154, 156
- 40 CFR Parts 1-799
- 46 CFR Part 153
- 49 CFR Parts 1-199
- American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances, 2005.
- NFPA 704, National Fire Codes Online, National Fire Protection Association, current edition at time of MSDS preparation.
- Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers
- TOMES® System: Heitland G & Hurlbut KM (Eds) (electronic version): MICROMEDEX, Greenwood Village, Colorado, USA. Available at: <http://csi.micromedex.com> (2005). The TOMES® System includes MEDITEXT® Medical Management; HAZARDTEXT® Hazard Management; INFOTEXT® Documents; ERG2000 Emergency Response Guidebook Documents; REPROTEXT®: Heitland G & Hurlbut KM (Eds); CHRIS Hazardous Chemical Data: U.S. Department of Transportation, U.S. Coast Guard, Washington, D.C. (2005); HSDB: Hazardous Substances Data Bank. National Library of Medicine, Bethesda, Maryland (2005); IRIS: Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, D.C. (2005); NIOSH: Pocket Guide to Chemical Hazards. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2005); OHM/TADS: Oil and Hazardous Materials Technical Assistance Data System. U.S. Environmental Protection Agency, Washington, D.C. (2005); REPROTOX®: Scialli A.R. Georgetown University Medical Center and Reproductive Toxicology Center, Columbia Hospital for Women Medical Center, Washington, D.C. (2005); RTECS®: Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2005); and SHEPARDS: Shepard T.H.: Shepard's Catalog of Teratogenic Agents (2005).
- The Fertilizer Institute Product Testing Program Results, March 2003

OTHER SPECIAL CONSIDERATIONS

Not applicable.

FOR FURTHER SAFETY, HEALTH, OR ENVIRONMENTAL INFORMATION ON THIS PRODUCT, CONTACT

**AGRIUM
Wholesale Environment, Health and Safety
Telephone (780) 998-6906 or Fax (780) 998-6677**

NOTICE TO READER

Continued on Next Page

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.