





NFPA Classification	DOT / TDG Pictograms	WHMIS Classification	HMIS		PROTECTIVE CLOTHING
			Health	1	
			Flammability	0	
			Reactivity	0	
			PPE	n	

Section I. Chemical Product and Company Identification

PRODUCT NAME/ TRADE NAME Urea Ammonium Nitrate Solution Fertilizers with added Sulfur

SYNONYM This MSDS applies to UAN - Sulfur Solutions, and/or UAN - Thiosulfate Solutions including, but not limited to:

15-0-0-20S
18-0-0-3S
20-0-0-4.5S
20-0-0-10S
21.4-0-0-10.7S
24-0-0-3S (24-S)
26-0-0-3S
26.35-0-0-2.54S
28-0-0-5S

MSDS NUMBER: 16010

CHEMICAL NAME Not applicable. **REVISION NUMBER** 1.1

CHEMICAL FAMILY Aliphatic amide and nitrate salt solution. **MSDS prepared by** the Environment, Health and Safety Department on: **January 18, 2007**

CHEMICAL FORMULA Not applicable.

MATERIAL USES Agricultural industry: Fertilizer.

24 HR EMERGENCY TELEPHONE NUMBER:

Transportation: 1-800-792-8311
Medical: 1-888-670-8123

MANUFACTURER

Agrium
North American Wholesale
13131 Lake Fraser Drive, S.E.
Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.
Suite 1700, 4582 South Ulster St.
Denver, Colorado, U.S.A., 80237

SUPPLIER

Agrium
North American Wholesale
13131 Lake Fraser Drive, S.E.
Calgary, Alberta, Canada, T2J 7E8

Agrium U.S. Inc.
Suite 1700, 4582 South Ulster St.
Denver, Colorado, U.S.A., 80237

Section II. Hazardous Ingredients

NAME	CAS #	Exposure Limits (ACGIH)						% by Weight
		TLV-TWA mg/m ³	TLV-TWA ppm	STEL mg/m ³	STEL ppm	CEIL mg/m ³	CEIL ppm	
Urea	57-13-6	---						16-26
Ammonium nitrate	6484-52-2	---						24-34
Ammonium sulfate	7783-20-2	---						0-14
Ammonium thiosulfate	7783-18-8	---						0-14

ACGIH TLV notations:

--- No assigned TLV

(C) - Ceiling - the concentration not to be exceeded at any time

(I) - measured as the Inhalable fraction of the aerosol

(R) - measured as the Respirable fraction of the aerosol

(T) - measured as the Thoracic fraction of the aerosol

Continued on Next Page

TOXICOLOGICAL DATA ON INGREDIENTS**Ammonium Nitrate:**[^]

Rat oral LD₅₀: 4500 mg/kg. [Peer Reviewed] [Environment Canada;Tech Info for Problem Spills: Ammonium Nitrate (Draft) p.59 (1981)]
 Rat oral LD₅₀: 2217 mg/kg (Rat) [Gigiena i Sanitariya. For English translation, see HYSAAV. (V/O Mezhdunarodnaya Kniga, 113095 Moscow, USSR) V.1- 1936- (52(8),25,1987)]
 Huntingdon Research Center Testing Results (3 studies), OECD Guide 401: 2462- 2900 mg/kg (rat oral)
 TFI Product Testing Results, OECD Guideline 402: > 5,000 mg/kg acute dermal LD₅₀, rat,
 Bacterial reverse mutation assay: negative, with and without metabolic activation, (Salmonella)
 Developmental teratogenicity: Not teratogenic to rats. NOAEL >57 mg/kg
 Ecotoxicity Values:
 Acute fish toxicity: Chinook salmon, rainbow trout, bluegill: 96hr LC₅₀ = 420-1360 mg NO₃/L
 Acute toxicity to aquatic invertebrates: Daphnia magna EC₅₀ = 555mg/L
 Acute toxicity to aquatic plants (algae): Scenedesmus quadricauda EC₅₀ = 83mg/L
 LD₅₀ Aspergillus niger (fungus) 15 mg/l/40 hr (36 deg C). [Peer Reviewed] [Environment Canada; Tech Info]

Ammonium Sulfate TFI Product Testing Program Results:

Acute oral LD₅₀, rat: >2,000-4,250 mg/kg
 Acute oral LD₅₀, mouse: 640 mg/kg
 Acute dermal LD₅₀: >2,000 mg/kg (rat, mouse)
 Ecotoxicity:
 Acute toxicity to fish, Coho salmon, rainbow trout, largemouth bass, bluegill, fathead minnow, 24-96 hr LC₅₀: >90->1500 mg/L
 Acute toxicity to aquatic invertebrates, Daphnia magna, 50-96 hr LC₅₀: >433 mg/L
 Amphipod, 96 hrs, LC₅₀=40-62 mg/L
 Snails, 48-96 hrs, LC₅₀=>100-700 mg/L
 Toxicity to aquatic plants, Chlorella vulgaris, 21 days, NOEC=250 mg N/L
 Chronic toxicity to fish, Rainbow trout, 12 & 35 days, LC₅₀: 0.26-0.68 mg unionized NH₃/L
 Pink salmon, 21, 40, & 61 days, NOEC=1.2mg unionized NH₃/L
 Channel catfish, 6 months, LOEC=100-500 mg/L

Ammonium Thiosulfate Solution TFI Product Testing Program Results:

Acute oral toxicity, LD₅₀: 1,950-2,890 mg/kg (rat, mouse)
 Acute inhalation toxicity, LC₅₀: >1,800, >2,260 mg/m³ (rat, mouse)
 Ecotoxicity:
 Acute toxicity to fish, species not specified, 48 hr LC₅₀: >48.6 mg total NH₃/L

TFI Product Testing Program Results - Urea 46-0-0 :[^]

Acute oral toxicity: 14,300 mg/kg rat; 11,500 mg/kg mouse; 510 mg/kg cattle
 Chronic oral toxicity, NOAEL: 6,750 mg/kg mouse; 2,250 mg/kg rat
 Ecotoxicity:
 Acute toxicity to fish, Barillius barna, LC₅₀, 96hr: >9,100 mg/L
 Acute toxicity to invertebrates, Daphnia, EC₅₀ (24kr) >10,000 mg/L
 Acute toxicity to birds, pigeon, LDLo = 16,000 mg/kg subcutaneous
 Toxicity to algae, Scenedesmus quadricauda, cell multiplication inhibition, TT(192 hr) > 10,000 mg/L

Section III. Hazards Identification.**POTENTIAL ACUTE HEALTH EFFECTS**

Dangerous in case of ingestion. May interfere with oxygen carrying capacity of the blood (Methemoglobinemia). Over-exposure by inhalation may cause respiratory irritation. This product may irritate eyes and skin upon contact but is unlikely to injure tissue.

Symptoms of overexposure may include:

Cardiovascular: methemoglobinemia, low blood pressure (hypotension), irregular heart beat (arrhythmia), shock (vasodilation)

CNS: headache, dizziness, generalized tingling sensation (parasthesia)

Gastrointestinal: nausea, vomiting, diarrhea, abdominal pain

Eye: redness and inflammation (conjunctivitis)

Skin: bluish discoloration (cyanosis) with profuse sweating or flushed skin

POTENTIAL CHRONIC HEALTH EFFECTS

CARCINOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

MUTAGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

TERATOGENIC EFFECTS: NONE by ACGIH, EPA, IARC, NTP, OSHA.

Repeated or prolonged overexposure by ingestion can reduce the oxygen carrying capacity of the blood producing anoxia in infants or individuals with preexisting bowel or blood diseases. Ensure that nitrate containing fertilizers are not applied near wells where contamination may occur. Consult your agronomist regarding the advisability and precautions for use of nitrate fertilizers on fruit or vegetable crops.

Section IV. First Aid Measures

EYE CONTACT	May cause eye irritation. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Obtain medical attention.
MINOR SKIN CONTACT	May cause skin irritation. Wash contaminated skin with soap and water. Cover dry or irritated skin with a good quality skin lotion. If irritation persists, seek medical attention. Wash contaminated clothing before reuse.
EXTENSIVE SKIN CONTACT	No additional information.
MINOR INHALATION	Repeated or prolonged inhalation of vapors or spray mist may produce irritation of respiratory tract. Loosen tight clothing. Allow to rest in a well ventilated area. Obtain medical attention.
SEVERE INHALATION	In emergency situations use proper respiratory protection to evacuate affected individuals to a safe area as soon as possible. Loosen tight clothing around the person's neck and waist. Oxygen may be administered if breathing is difficult. If the person is not breathing, perform artificial respiration. Obtain immediate medical attention.
SLIGHT INGESTION	Have conscious person drink several glasses of water or milk. Induce vomiting. Lower the head so that the vomit will not reenter the mouth and throat. NEVER give an unconscious person anything to drink. Obtain medical attention.
EXTENSIVE INGESTION	No additional information.

Section V. Fire and Explosion Data

THE PRODUCT IS	Non-flammable.
AUTO-IGNITION TEMPERATURE	Not applicable.
FLASH POINT	Not applicable.
FLAMMABILITY LIMITS	Not applicable.
PRODUCTS OF COMBUSTION	Material will not burn, but thermal decomposition may result in flammable/toxic gases being formed after material evaporates to dryness. These products are nitrogen oxides, sulfur oxides, carbon oxides and ammonia (CO, CO ₂ , SO ₂ , SO ₃ , NO, NO ₂ , NH ₃).
FIRE HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	Material will not burn. Avoid temperatures above 100°C (212°F) which may result in evaporation and thermal decomposition.
EXPLOSION HAZARD IN THE PRESENCE OF VARIOUS SUBSTANCES	This product is non-explosive. However, do not allow ammonium nitrate containing solutions to concentrate through evaporation. Concentrated ammonium nitrate containing solutions may present a possible risk of explosion under high temperatures and pressures.
FIRE FIGHTING MEDIA AND INSTRUCTIONS	Cool containing vessels with flooding quantities of water until well after fire is out. A self contained breathing apparatus should be used to avoid inhalation of toxic fumes. When heated to decomposition it emits toxic fumes. Fire fighters should wear self-contained breathing apparatus (SCBA) and full turnout gear.
SPECIAL REMARKS ON FIRE HAZARDS	Evolves toxic fumes when heated to the decomposition state. Avoid temperatures above 100°C (212°F).
SPECIAL REMARKS ON EXPLOSION HAZARDS	

Continued on Next Page

Do not allow to evaporate. Unconfirmed industry reports indicate a possibility that ammonium nitrate containing solutions may detonate if subjected to extreme heat while under pressure or if allowed to evaporate to near dryness.

Section VI. Accidental Release Measures

SMALL SPILL	<p>Stop leak if possible to do so without risk. Dike and contain spilled material. Ensure that the spilled material does not enter sewers, wells, or watercourses. Product will promote algae growth which may degrade water quality and taste.</p> <p>Notify downstream water users. Nitrate in potable drinking water should be maintained below the U.S. National Primary Drinking Water Regulations MCL of 10mg/L as nitrogen, or the Canadian Guidelines for Drinking Water Quality MAC of 45mg/L (equivalent to 10mg/L nitrate-nitrogen). Will dissolve and disperse in water. Where possible, pump up spilled material and place in suitable containers for reuse or disposal. Ensure disposal complies with local regulations. Reclaiming material may not be viable.</p>
LARGE SPILL	No additional information in case of a spill and/or a leak of the product.

Section VII. Handling and Storage

PRECAUTIONS	Keep away from sources of ignition and incompatible materials such as reducing agents, or combustible materials. Avoid contact with skin and eyes. Do not breathe fumes or vapors. Keep out of reach of children.
STORAGE	Keep at temperatures not exceeding 100 °C. Keep away from incompatible materials.

Section VIII. Exposure Controls/Personal Protection

ENGINEERING CONTROLS	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
PERSONAL PROTECTION	The selection of personal protective equipment varies, depending upon conditions of use. Wear appropriate respiratory protection for dust/mist when ventilation is inadequate. A filtering facepiece dust mask is recommended for most applications if respiratory protection is needed. Where skin and eye contact may occur as a result of brief periodic exposures, wear long sleeved clothing, coveralls, chemical resistant gloves, and safety glasses with side shields. A respiratory protection program that meets OSHA 29 CFR 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use.
PERSONAL PROTECTION IN CASE OF LARGE RELEASE	No additional information.
EXPOSURE LIMITS	<p>OSHA PEL: 15 mg/m3 for Particulates Not Otherwise Regulated (nuisance particulates).</p> <p>Federal, State or Provincial exposure limits may vary by jurisdiction. Consult local authorities for acceptable exposure limits in your area.</p>

Section IX. Physical and Chemical Properties

PHYSICAL STATE AND APPEARANCE	Liquid. (Clear to slightly hazy liquid.)		
MOLECULAR WEIGHT	Not applicable.	COLOR	Clear colorless to light yellow.
pH (10% SOLN/WATER)	6-8	ODOR	Odorless.
BOILING POINT	Decomposes.	ODOR THRESHOLD	17 PPM threshold, recognizable as ammonia.
MELTING POINT	Salt out temperature: variable depending on formulation	TASTE	Acrid. Burning. Disagreeable.
CRITICAL TEMPERATURE	Not applicable.	VOLATILITY	dependent on formulation
SPECIFIC GRAVITY g/cc	1.2 to 1.4 (Water = 1)	SOLUBILITY	Easily soluble in cold water, hot water.

Continued on Next Page

BULK DENSITY kg/m ³ ; lbs/ft ³	Variable depending on formulation	DISPERSION PROPERTIES	See solubility in water.
VAPOR PRESSURE	17.2 mm of Hg (@ 20°C) based on data for: Water	WATER/OIL DIST. COEFF.	Only soluble or dispersed in water.
VAPOR DENSITY	Not applicable.		

Section X. Stability and Reactivity Data

STABILITY	The product is stable.
INSTABILITY TEMPERATURE	Not available.
CONDITIONS OF INSTABILITY	No additional remark.
INCOMPATABILITY WITH VARIOUS SUBSTANCES	Slightly reactive with reducing agents, combustible materials, organic materials, metals. Very slightly reactive with acids, alkalis.
CORROSIVITY	Slightly corrosive to mild steel, aluminum, zinc, and copper. Non-corrosive to stainless steel (304 or 316).
SPECIAL REMARKS ON REACTIVITY	Incompatible with sulfur, chlorides, or other oxidizers. Incompatible with finely powdered metals (cadmium, copper, lead, cobalt, nickel, bismuth, chromium, magnesium, zinc, sodium, potassium and aluminum).
SPECIAL REMARKS ON CORROSIVITY	Incompatible with copper alloys. Corrosive to ferrous metals and alloys. Corrosive to brass. Contact your sales representative or a metallurgical specialist to ensure compatability with your equipment.

Section XI. Toxicological Information

SIGNIFICANT ROUTES OF EXPOSURE	Ingestion. Inhalation.
TOXICITY TO ANIMALS	See Section II.
SPECIAL REMARKS ON TOXICITY TO ANIMALS	Will slowly release ammonia and degrade to nitrate. Ammonia is a toxic hazard to fish. The product itself and its products of degradation are not harmful under normal conditions of use. May be harmful to livestock and wildlife if ingested. Clean up all spilled material, especially where bulk fertilizer loading of equipment occurs to prevent animal exposure.
OTHER EFFECTS ON HUMANS	Recent studies undertaken by the U.S. Government using Canadian and American databases have determined that ammonium nitrate fertilizer does not demonstrate any risk of gastrointestinal cancer.
SPECIAL REMARKS ON CHRONIC EFFECTS ON HUMANS	Exposure can cause headache, stomach pains, vomiting and diarrhea. Under prolonged or repeated overexposure, may produce methemoglobin which reduces oxygen supply in the circulating blood. Although predominantly affecting infants, nitrate induced methemoglobinemia has also been documented in adults.
SPECIAL REMARKS ON OTHER EFFECTS ON HUMANS	No additional remark.

Section XII. Ecological Information

ECOTOXICITY	May be harmful to fish, livestock, and wildlife. Dissolved mineral salts may cause irritation of the digestive tract. Aquatic/Marine Toxicity: Harmful to fish and other water organisms. Highly soluble. Will disperse with current. Release to watercourses may cause effects down stream from the point of release. Will release ammonium ions. Ammonia is a toxic hazard to fish. Clean up all spilled material, especially where bulk fertilizer loading of equipment occurs. U.S. D.O.T.: This material is NOT listed as a Marine pollutant.
BOD and COD	Not available.


Continued on Next Page

PRODUCTS OF DEGRADATION	Ammonia, nitrogen oxides (NO, NO ₂), sulfur oxides (SO ₂ , SO ₃), and carbon oxides (CO, CO ₂)
TOXICITY OF THE PRODUCTS OF DEGRADATION	The product itself and its products of degradation are not harmful under normal conditions of use. Avoid spills or releases to watercourses.
SPECIAL REMARKS ON THE PRODUCTS OF DEGRADATION	Product will promote algae growth which may degrade water quality and taste. Notify downstream water users. Will dissolve and disperse in water. Reclaiming material may not be viable.


Section XIII. Disposal Considerations

WASTE DISPOSAL OR RECYCLING	Pump up spilled material and place in suitable containers for reuse or disposal. Ensure disposal complies with local regulations.
------------------------------------	---

Section XIV. Transport Information

DOT / TDG CLASSIFICATION	Not controlled under DOT (US) or TDG (Canada).
PIN and Shipping Name	Not applicable.
SPECIAL PROVISIONS FOR TRANSPORT	Not applicable.
DOT (U.S.A) (Pictograms)	

Section XV. Other Regulatory Information and Pictograms

OTHER REGULATIONS	<p>CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA): This product is on the Domestic Substances List (DSL), and acceptable for use under the provisions of CEPA.</p> <p>CERCLA/SUPERFUND, 40 CFR 117,302: This product contains no Reportable Quantity (RQ) Substances.</p> <p>This material contains the following chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372:</p> <p>Aqueous ammonia from water dissociable ammonium ions, 10% of which is reportable under this listing, as ammonium nitrate CAS# 6484-52-2 and/or ammonium sulphate CAS# 7783-20-2 and/or as ammonium thiosulfate CAS# 7783-18-8. Refer to EPA doc 745-R-00-005 and the specific product analysis for your product to determine your reporting requirements under this regulation.</p> <p>This product is not considered a priority pollutant as regulated under the Clean Water Act. Exempt under Table 2, 46 CFR 153 from classification category "D" NLS requirements under 33 CFR 151, 154 or 156 for barges or vessels not subject to the requirements of MARPOL 73/78.</p> <p>TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.</p> <p>This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and is not subject to control under WHMIS (Canada), or the Hazcom Standard (US).</p>		
OTHER CLASSIFICATIONS	HCS (U.S.A.)	No hazardous components identified per 29 CFR 1910.1200	
	DSCL (EEC)	44- Risk of explosion if heated under confinement.	
National Fire Protection Association (U.S.A.)	Hazards presented under acute emergency conditions only:	<p>Health</p> 	<p>Fire Hazard</p> <p>Reactivity</p> <p>Specific Hazard</p>
TDG (Pictograms - Canada)			



DSCL (Europe)
(Pictograms)

Not Available
No Disponible
Pas Disponible

ADR (Europe)
(Pictograms)

Not Available
No Disponible
Pas Disponible

Section XVI. Other Information

REFERENCES

- Transportation of Dangerous Goods Act and Clear Language Regulations, current revision.
- Canada Gazette Part II, Vol. 122, No. 2 Registration SOR/88-64 31 December, 1987 Hazardous Products Act "Ingredient Disclosure List".
- Domestic Substances List, Canadian Environmental Protection Act.
- 29 CFR Part 1910
- 33 CFR Parts 151, 153, 154, 156
- 40 CFR Parts 1-799
- 46 CFR Part 153
- 49 CFR Parts 1-199
- American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances, 2006.
- NFPA 704, National Fire Codes Online, National Fire Protection Association, current edition at time of MSDS preparation.
- Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers
- TOMES® System: Heitland G & Hurlbut KM (Eds) (electronic version): MICROMEDEX, Greenwood Village, Colorado, USA. Available at: <http://csi.micromedex.com> (2007). The TOMES® System includes MEDITEXT® Medical Management; HAZARDTEXT® Hazard Management; INFOTEXT® Documents; ERG2000 Emergency Response Guidebook Documents; REPROTEXT®: Heitland G & Hurlbut KM (Eds); CHRIS Hazardous Chemical Data: U.S. Department of Transportation, U.S. Coast Guard, Washington, D.C. (2007); HSDB: Hazardous Substances Data Bank. National Library of Medicine, Bethesda, Maryland (2007); IRIS: Integrated Risk Information System. U.S. Environmental Protection Agency, Washington, D.C. (2007); NIOSH: Pocket Guide to Chemical Hazards. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2007); OHM/TADS: Oil and Hazardous Materials Technical Assistance Data System. U.S. Environmental Protection Agency, Washington, D.C. (2007); REPROTOX®: Scialli A.R. Georgetown University Medical Center and Reproductive Toxicology Center, Columbia Hospital for Women Medical Center, Washington, D.C. (2007); RTECS®: Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio (2007); and SHEPARDS: Shepard T.H.: Shepard's Catalog of Teratogenic Agents (2007).
- The Fertilizer Institute Product Testing Program Results, March 2003

OTHER SPECIAL CONSIDERATIONS

Section 15 information revised.

FOR FURTHER SAFETY, HEALTH, OR ENVIRONMENTAL INFORMATION ON THIS PRODUCT, CONTACT

AGRIUM
Wholesale Environment, Health and Safety
Telephone (780) 998-6906 or Fax (780) 998-6677

NOTICE TO READER

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.