



Issue: 2.05
Effective: March 31, 2001
Location: Reese Production

ZINC OXY-SULFATE 40%

<u>CHEMICAL ASSAY</u>	ACTUAL	WATER SOLUBILITY as % of ACTUAL
ZINC (wt. %Zn)	40.0	35.0
SULFUR (wt. %S)	8.0	
IRON (wt. %Fe)	<5.0	
LEAD (ppm Pb)	<400	
MOISTURE (wt. %H ₂ O)	1-2	
pH of 10% wt./wt. AQUEOUS SOLUTION	5.5 - 6.5	

PHYSICAL ANALYSIS

SIZE GUIDE NUMBER (SGN)	240
DENSITY (kg per m ³ /lbs per ft ³)	1360/85
UNIFORMITY INDEX	48

SCREEN ANALYSIS (% By Weight)

<u>Tyler</u>	<u>% Typical</u>
+6	5
+16	90
-16	5

Please obtain a Material Safety Data Sheet for more information.

To the best of The Manufacturer's knowledge and belief the information contained herein is accurate and reliable as of the date compiled. However, the Manufacturer makes no representation, warranty or guarantee as to the information's accuracy, reliability, completeness or timeliness. It is the user's responsibility to determine the suitability and completeness of such information for the user's own particular use or purposes. The Manufacturer does not accept any liability for any loss or damage that may occur from any use of this information.

Agrium Partnership, 13131 Lake Fraser Drive SE, Calgary, Alberta T2J 7E8; Phone: (403) 225-7000.

Agrium U.S. Inc., 4582 S. Ulster Street, Suite 1400, Denver, Colorado 80237; Phone: (303) 804-4400.